SAFETY DATA SHEET



1. Identification

Product identifier	HRH-80 Hydrated Lime
Other means of identification	
Product code	Calcium Hydroxide
Recommended use	Environmental Protection, acid gas sorbent.
Recommended restrictions	Not for food, pharmaceutical or water treatment applications.
Manufacturer/Importer/Supplier	/Distributor information
Manufacturer:	Mississippi Lime Company d/b/a MLC
Address:	16147 US Highway 61
	Ste Genevieve, MO 63670
Phone Number:	(800) 437-5463
24 Hour Emergency Contact Number:	(866) 519-4752

Access code: 336393

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity, repeated exposure	Category 2 (kidney)
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3
OSHA defined hazards	Not classified.	

Label elements



	· · · ·
Signal word	Danger
Hazard statement	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. May cause damage to organs (kidney) through prolonged or repeated exposure. Harmful to aquatic life.
Precautionary statement	
Prevention	Do not breathe dust. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear eye protection/face protection. Wear protective gloves.
Response	If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Calcium hydroxide	1305-62-0	92 - 100
Additive*	Proprietary*	< 2
Impurities		

Chemical name	Common name and synonyms	CAS number	%
Calcium carbonate		471-34-1	< 5
Silicon dioxide		7631-86-9	< 2
Magnesium Oxide		1309-48-4	< 1

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Dusts may irritate the respiratory tract, skin and eyes. Coughing. Skin irritation. May cause redness and pain. Edema. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing	Do not use water jet as an extinguisher, as this will spread the fire.

Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect dust using a vacuum cleaner equipped with HEPA filter. Prevent product from entering drains. Stop the flow of material, if this is without risk.
	Large Spills: Wet down with water and dike for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Shovel the material into waste container. Following product recovery, flush area with water. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container.
	Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Do not get this material in contact with eyes. Avoid contact with skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

U.S OSHA Impurities	Туро	Value	
-	Туре		
Silicon dioxide (CAS 7631-86-9)	TWA	80 mg/m3	
US. OSHA Table Z-1 Permissible	e Exposure Limits (PEL) for Air	Contaminants (29 CFR 1910.	
Components	Туре	Value	Form
Calcium hydroxide (CAS 1305-62-0)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Impurities	Туре	Value	Form
Magnesium Oxide (CAS 1309-48-4)	PEL	15 mg/m3	Total particulate.
US. OSHA Table Z-3 Permissible	e Exposure Limits (PEL) for Min	eral Dusts (29 CFR 1910 1000))
	• • • •	•	
Impurities	Туре	Value	Form
	• • • •	•	Form
Impurities Magnesium Oxide (CAS	Туре	Value	
Impurities Magnesium Oxide (CAS	Туре	Value 5 mg/m3	Form Respirable fraction.
Impurities Magnesium Oxide (CAS	Туре	Value 5 mg/m3 15 mg/m3	Form Respirable fraction. Total dust.
Impurities Magnesium Oxide (CAS	Туре	Value 5 mg/m3 15 mg/m3 50 mppcf	Form Respirable fraction. Total dust. Total dust.
Impurities Magnesium Oxide (CAS 1309-48-4) Silicon dioxide (CAS	Type TWA	Value5 mg/m315 mg/m350 mppcf15 mppcf	Form Respirable fraction. Total dust. Total dust. Respirable fraction.
Impurities Magnesium Oxide (CAS 1309-48-4) Silicon dioxide (CAS	Type TWA	Value5 mg/m315 mg/m350 mppcf15 mppcf5 mg/m3	Form Respirable fraction. Total dust. Total dust. Respirable fraction. Respirable fraction.
Impurities Magnesium Oxide (CAS 1309-48-4) Silicon dioxide (CAS 7631-86-9) Calcium carbonate (CAS	Type TWA	Value 5 mg/m3 15 mg/m3 50 mppcf 15 mg/m3 5 mg/m3	Form Respirable fraction. Total dust. Total dust. Respirable fraction. Respirable fraction.
Impurities Magnesium Oxide (CAS 1309-48-4) Silicon dioxide (CAS 7631-86-9) Calcium carbonate (CAS	TWA	Value 5 mg/m3 15 mg/m3 50 mppcf 15 mg/m3 15 mg/m3 15 mg/m3 20 mppcf	Form Respirable fraction. Total dust. Total dust. Respirable fraction. Respirable fraction. Total dust.
Impurities Magnesium Oxide (CAS 1309-48-4) Silicon dioxide (CAS	TWA	Value 5 mg/m3 15 mg/m3 50 mppcf 15 mg/m3 15 mg/m3 20 mppcf 5 mg/m3	Form Respirable fraction. Total dust. Total dust. Respirable fraction. Respirable fraction. Total dust. Respirable fraction.

Components	Туре	Value	
Calcium hydroxide (CAS 1305-62-0)	TWA	5 mg/m3	
Impurities	Туре	Value	Form
Magnesium Oxide (CAS 1309-48-4)	TWA	10 mg/m3	Inhalable fraction.
NIOSH. Immediately Dange	erous to Life or Health (IDLH) Values, as	amended	
Impurities	Туре	Value	
Magnesium Oxide (CAS 1309-48-4)	IDLH	750 mg/m3	
Silicon dioxide (CAS 7631-86-9)	IDLH	3000 mg/m3	
US. NIOSH: Pocket Guide		Malaa	
Components	Туре	Value	
Calcium hydroxide (CAS 1305-62-0)	TWA	5 mg/m3	
Impurities	Туре	Value	Form
Silicon dioxide (CAS 7631-86-9)	TWA	6 mg/m3	
Calcium carbonate (CAS 471-34-1)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
US. OARS. Workplace Env Components	ironmental Exposure Level (WEEL) Guid Type	de Value	
Additive	TWA	10 mg/m3	
logical limit values	No biological exposure limits noted for t	he ingredient(s).	
propriate engineering itrols	Good general ventilation should be use applicable, use process enclosures, loc maintain airborne levels below recomm- established, maintain airborne levels to sufficient to maintain concentrations of e (OEL), suitable respiratory protection m operation which may generate dusts, us below the recommended exposure limit	al exhaust ventilation, or oth ended exposure limits. If ex an acceptable level. If engin dust particulates below the ust be worn. If material is gr se appropriate local exhaust	ner engineering controls to posure limits have not been neering measures are not Occupational Exposure Limit round, cut, or used in any c ventilation to keep exposure
ividual protection measures Eye/face protection	s, such as personal protective equipment Wear approved safety goggles.	ht	
Skin protection Hand protection	Wear appropriate chemical resistant glo	oves.	
Skin protection Other	Wear appropriate chemical resistant clc	othing. Use of an impervious	apron is recommended.
Respiratory protection	Use a NIOSH/MSHA approved respirate exceeding the exposure limits. Chemica dust and mist filter.		
Thermal hazards	Wear appropriate thermal protective clo	thing, when necessary.	
neral hygiene Isiderations	Always observe good personal hygiene and before eating, drinking, and/or smo equipment to remove contaminants.		
Physical and chemical	properties		
bearance			

Odor	Not available.	
Color	White.	
Form	Powder	
Physical state	Solid.	
Appearance		

HRH-80 Hydrated Lime

Odor threshold	Not available.
рН	12.45 (In Aqueous Solution) (77 °F (25 °C))
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not applicable.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
10. Stability and reactivity	
Reactivity	Reacts violently with strong acids.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	May be corrosive to metals.
Conditions to avoid	Contact with incompatible materials. Exposure to moisture.
Incompatible materials	Strong acids. Maleic anhydride. Nitroethane. Nitromethane. Nitroparaffins. Nitropropane. Phosphorus.
Hazardous decomposition products	None.
11. Toxicological informat	ion
Information on likely routes of e	xposure

Inhalation	Dust may irritate respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye damage.
Ingestion	May cause discomfort if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Dusts may irritate the respiratory tract, skin and eyes. Coughing. Skin irritation. May cause redness and pain. Edema. Prolonged exposure may cause chronic effects.

Information on toxicological effects

Acute toxicity	Not expected to be acutely toxic. Species Test Results	
Components		
Additive (CAS Proprietary)		
Acute		
Dermal		
LD50	Rabbit	11890 mg/kg

Components	Species	Test Results	
Calcium hydroxide (CAS 1305-62-	-0)		
<u>Acute</u>			
Oral			
LD50	Rat	7340 mg/kg	
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye damage.		
Respiratory or skin sensitization	n		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifiable as to carcinogenicity to humans.		
IARC Monographs. Overall	Evaluation of Carcinogenicity		
Silicon dioxide (CAS 7631-86-9) NTP Report on Carcinogens		3 Not classifiable as to carcinogenicity to humans.	
Not listed.	-		
OSHA Specifically Regulate	ed Substances (29 CFR 1910.1	001-1053)	
Not listed.			
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	May cause respiratory irritation.		
Specific target organ toxicity - repeated exposure	May cause damage to organs (kidney) through prolonged or repeated exposure.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be h repeated exposure.	narmful. May cause damage to organs through prolonged or	

12. Ecological information

Ecotoxicity	Harmful to aquatic life.		
Components	Species Test Results		Test Results
Calcium hydroxide (CAS 130	05-62-0)		
Aquatic <i>Acute</i> Fish	LC50	Zambezi barbel (Clarias gariepinus)	33.9 mg/l, 96 hours
Persistence and degradability	No data is available on the degradability of this product.		
Bioaccumulative potential	No data available on bioaccumulation.		
Partition coefficient n-octa Additive	inol / water (lo	g Kow) -1.47	
Mobility in soil	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideration	ons		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Local disposal regulations	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	Dispose in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
LIDLI 80 Lludratad Lima			

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

HRH-80 Hydrated Lime		SDS US	
Calcium carbonate (CAS			
US. Pennsylvania Worker a Additive (CAS Proprietar	-	ight-to-Know Law	
Calcium hydroxide (CAS Magnesium Oxide (CAS	1309-48-4)		
Calcium carbonate (CAS			
US. New Jersey Worker and		ht-to-Know Act	
Magnesium Oxide (CAS Silicon dioxide (CAS 763	,		
Calcium hydroxide (CAS			
Calcium carbonate (CAS	,		
US. Massachusetts RTK - S	ubstance List		
US state regulations			
Safe Drinking Water Act (SDWA)	Not regulated.		
Not regulated.			
Not regulated. Clean Air Act (CAA) Sectior	1 112(r) Accident	al Release Prevention (40 CFR 68.130)	
Clean Air Act (CAA) Section	1112 Hazardous	AIR POILUTANTS (HAPS) LIST	
Other federal regulations	440		
Not regulated.			
SARA 313 (TRI reporting)	opeone larger c	Signitionity (single of repeated exposure)	
Classified hazard categories	Skin corrosion or irritation Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)		
SARA 311/312 Hazardous chemical	Yes		
Not listed.	uous substance		
Superfund Amendments and Re SARA 302 Extremely hazard		ct of 1986 (SARA)	
Toxic Substances Control A		All components of the mixture on the TSCA 8(b) inventory are designated "active".	
Not listed.			
	ulated Substance	es (29 CFR 1910.1001-1053)	
Not regulated.			
SARA 304 Emergency r	release notificatio	on	
CERCLA Hazardous Su Not listed.	IDSTANCE LIST (40	GFR 302.4)	
Not regulated.			
TSCA Section 12(b) Exp	port Notification ((40 CFR 707, Subpt. D)	
US federal regulations	Standard, 29 Cl		
LIC federal regulations	This product is	a "Hazardous Chemical" as defined by the OSHA Hazard Communication	

Calcium hydroxide (CAS 1305-62-0) Magnesium Oxide (CAS 1309-48-4) Silicon dioxide (CAS 7631-86-9)

US. Rhode Island RTK

Additive (CAS Proprietary) Calcium hydroxide (CAS 1305-62-0) Magnesium Oxide (CAS 1309-48-4) Silicon dioxide (CAS 7631-86-9)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	01-April-2020
Revision date	03-December-2024
Version #	02
HMIS® ratings	Health: 3* Flammability: 0 Physical hazard: 0
	•

NFPA ratings

Disclaimer

Mississippi Lime Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.